## Declaration of Performance according to Regulation (EU) 305/2011

No. 00027-CPR-2015/11/24

1) Unique identification code of the product-type:

Roomheater burning solid fuel *without* hot water supply EN 13240:2001 and EN 13240-A2:2004

2) Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 : "Model Authentic 50"

Fireplace stoves burning wood made by PLAMEN d.o.o, are designed for heating and additional heating of residential and social rooms, i.e. standard environment without the explosion hazard and the presence of volatile substances. The fireplace stoves are designed for interrupted operation.

Basic technical parameters

| Туре         | Main dimensions (mm) |        |       |                              | Fuel                               | Diameter of        |                             |
|--------------|----------------------|--------|-------|------------------------------|------------------------------------|--------------------|-----------------------------|
|              | Width                | Height | Depth | Nominal power<br>output (kW) | consumption -<br>wood<br>(kg/hour) | the uptake<br>(mm) | Operational<br>draught (Pa) |
| Authentic 50 | 760                  | 768    | 537   | 8,0                          | 1,86                               | 120                | 12                          |

<sup>3)</sup> Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Romheater burning solid fuel without hot water supply

Appliances are determined for intermittent operation. According to NEN-EN 13240:2001 and NEN-EN 13240 A2:2004 Table 1 - "Sorting of appliances" it concerns products 1a.

4) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 :

PLAMEN d.o.o. Njemačka 36, 34000 Požega Croatia

- 5) Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 : "*No representative appointed*"
- 6) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3 (Annex V, Clause 1.4 of Regulation 305/2011 of the European Parliament and of the Council of 9 March 2011)

7) The Declaration of Performance concerning a construction product covered by a harmonised standard:

NEN-EN 13240:2001 and NEN-EN 13240-A2:2004

The assessment acc. to System 3 has been carried out by SGS Nederland BV, Leemansweg 51, 6827 BX Arnhem, The Netherlands, which issued the Report on Initial Type Testing EZKA/2015-07/00007-1 of 2015-10-05.

## 8) Declared performance

| Harmonized technical         | EN 13240:2001 + EN 13240-A2:2004 |  |  |  |  |
|------------------------------|----------------------------------|--|--|--|--|
| specification                |                                  |  |  |  |  |
| Essential                    | Performance                      |  |  |  |  |
| characteristics              |                                  |  |  |  |  |
|                              | Fire safety                      |  |  |  |  |
| Reaction to fire             | A1                               |  |  |  |  |
| Distance to combustible      | Minimum distances, in mm         |  |  |  |  |
| materials                    | rear = 450                       |  |  |  |  |
|                              | sides = 700                      |  |  |  |  |
|                              | ceiling = 500                    |  |  |  |  |
|                              | front = 1000                     |  |  |  |  |
|                              | floor =                          |  |  |  |  |
| Risk of burning fuel falling | Pass                             |  |  |  |  |
| out                          |                                  |  |  |  |  |
| Emission of                  | CO[0.12 %]                       |  |  |  |  |
| combustion products          |                                  |  |  |  |  |
| Surface temperature          | Pass                             |  |  |  |  |
| Electrical safety            | Pass                             |  |  |  |  |
| Cleanability                 | Pass                             |  |  |  |  |
| Maximum operating            | -                                |  |  |  |  |
| pressure                     |                                  |  |  |  |  |
| Flue gas temperature at      | T [251 °C]                       |  |  |  |  |
| nominal heat output          |                                  |  |  |  |  |
| Mechanical resistance        | NPD                              |  |  |  |  |
| (to carry a chimney/flue)    |                                  |  |  |  |  |
| Thermal output               |                                  |  |  |  |  |
| Nominal heat output          | 8,0 kW                           |  |  |  |  |
| Room heating output          | -                                |  |  |  |  |
| Water heating output         | -                                |  |  |  |  |
| Energy efficiency            | [75,6 %]                         |  |  |  |  |

9) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This Declaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

| Signed for and on beha                 | alf of the manufacturer by: |
|--|-----------------------------|
| Igor Ujaković, head of                 | product development         |
| (name and function) Požega, 24.11.2015 | Gohi                        |
| (place and date of issu                | ıe) (signature)             |